

COMPUTER LAB 6

	CONFIGURATION	QTY
I	UPS	
	Numeric 10KVA UPS, 3phase input, single phase output, online UPS with o/p and i/p isolation transformer 240V DC	1
	WITH 20 EXTERNAL BATTRIES12V 42 Ah	
	TOTAL	1
II	COMPUTERS	
	NODES	
	Dell VOSTRO 460,Intel Sandy Bridge,Intel Core i3 2100 @ 3100MHz,2048MB (2 x 1024 DDR3-SDRAM), Intel(R) HD Graphics Family,	3
	Dell Optiplex 390 Desktop, Intel core i32100, 3.1gHz, 3MB processor, intel H61chipset, 4GB DDR3, 500GB Sata HDD, 16x DVD rw, USB Keyboard / USB Mouse, GIGA LAN 18.5” LED	3
	HP Prodesk 280G1MT, Intel Core i3 4160, 3.6GHz 3MHD 4400, 4GBDDR3 Single module, 500GB HDD, 16xDVD, USB Keyboard, USBMouse, GIGALAN,18.5"WLED	25
	TOTAL	31
IV	Printers	
	Epson LQ 300 + II Dot Matrix printer	1

V	SCANNER	
	HP PSC 1410	1
VI	NETWORKING	
	DIGISOL FS 1024D 24 PORT SWITCH	1
	DLINK DES 1016D 16 PORT SWITCH	1
	9 U RACK	1

